

Jainson COPPER TUBULAR CRIMPING TERMINAL SOCKETS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
1	2.5	5.2	319-05	CUS-05	4.98
2	4	6.5	319-06	CUS-06	7.03
3	6	6.5	319-07	CUS-07	7.65
4	10	6.5	319-08	CUS-08	9.66
5	16	6.5	319-09	CUS-09	12.88
6	25	6.5	319-10	CUS-10	21.90
7	35	6.5	319-11	CUS-11	24.40
8	35	8.2	319-12	CUS-12	24.40
9	50	6.5	319-13	CUS-13	31.20
10	50	8.2	319-14	CUS-14	31.20
11	50	10.2	319-15	CUS-15	31.20
12	70	8.2	319-16	CUS-16	50.80
13	70	10.2	319-17	CUS-17	50.80
14	70	12.7	319-18	CUS-18	50.80
15	95	10.2	319-19	CUS-19	70.65
16	95	12.7	319-20	CUS-20	70.65
17	120	10.2	319-21	CUS-21	98.00
18	120	12.7	319-22	CUS-22	98.00
19	120	16.2	319-23	CUS-23	98.00
20	150	10.2	319-24	CUS-24	122.15
21	150	12.7	319-25	CUS-25	122.15
22	150	16.2	319-26	CUS-26	122.15
23	185	12.7	319-27	CUS-27	188.63
24	185	16.2	319-28	CUS-28	188.63
25	225	16.2	319-231	CUS-231	251.85
26	240	16.2	319-29	CUS-29	253.76
27	240	20.3	319-30	CUS-30	253.76
28	300	16.2	319-31	CUS-31	366.65
29	300	20.3	319-32	CUS-32	366.65
30	400	20.3	319-33	CUS-33	531.79
31	500	20.3	319-34	CUS-34	738.41
32	630	20.3	319-35	CUS-35	1021.44
33	800	319-062	CUS-062	1617.28
34	1000	319-076	CUS-076	2968.56

Jainson SOLDERING TYPE COPPER TUBULAR SOCKETS



ITEM NO.	AREA Amp.	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
46	15	3.2	423-201	DEW-201	5.39
47	30	5.1	423-202	DEW-202	7.83
48	60	6.4	423-203	DEW-203	19.71
49	100	9.5	423-204	DEW-204	39.24
50	150	9.5	423-205	DEW-205	66.13
51	200	12.7	423-206	DEW-206	103.75
52	300	12.7	423-207	DEW-207	198.51
53	400	15.9	423-208	DEW-208	238.84
54	500	19.0	423-209	DEW-209	323.05
55	600	19.0	423-210	DEW-210	497.76
56	800	23.8	423-211	DEW-211	907.68
57	1000	23.8	423-212	DEW-212	1342.98
58	1000mm ²	423-295	DEW-295	2365.83

Jainson COPPER TUBULAR CRIMPING INLINE CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
80	1.5	58-450	EH-450	3.55
81	1.5	58-453	EH-453	3.65
82	2.5	58-451	EH-451	3.88
83	2.5	58-454	EH-454	3.96
84	4-6	58-452	EH-452	5.48
85	4-6	58-455	EH-455	5.75
86	10	58-456	EH-456	8.01
87	10	58-460	EH-460	9.56
88	16	58-461	EH-461	19.59
89	25	58-484	EH-484	26.21
90	25	58-486	EH-486	57.01
91	35	58-485	EH-485	34.21
92	35	58-487	EH-487	70.00
93	50	58-480	EH-480	104.00
94	70	58-478	EH-478	77.01
95	70	58-481	EH-481	154.00
96	95	58-482	EH-482	218.00
97	1.5	58-463 (I)	EH-463 (I)	5.15
98	2.5	58-464 (I)	EH-464 (I)	6.15
99	4-6	58-465 (I)	EH-465 (I)	9.21
100	2.5	58-466	EH-466	3.76
101	4-6	58-475 (I)	EH-475 (I)	13.76
102	2.5	32-23	CB-23	4.16
103	4	32-3	CB-3	5.54
104	6	32-4	CB-4	5.75
105	16	32-6	CB-6	9.20
106	25	32-7	CB-7	22.13
107	35	32-8	CB-8	28.61
108	50	32-9	CB-9	44.06
109	70	32-10	CB-10	66.80
110	95	32-11	CB-11	90.30
111	120	32-12	CB-12	125.81
112	150	32-13	CB-13	162.00
113	185	32-14	CB-14	203.01
114	225	32-20	CB-20	279.01
115	240	32-15	CB-15	293.81
116	300	32-16	CB-16	439.20
117	400	32-17	CB-17	668.40
118	500	32-18	CB-18	874.13
119	625	32-19	CB-19	1193.81
120	800	32-21	CB-21	1858.00
121	1000	32-22	CB-22	2700.00
122	25	32-24	CB-24	21.03
123	35	32-25	CB-25	28.70
124	50	32-26	CB-26	43.53
125	70	32-27	CB-27	77.81
126	95	32-28	CB-28	114.40
127	120	32-29	CB-29	137.38
128	150	32-30	CB-30	197.90
129	300	32-33	CB-33	587.01
130	1.5	32-41	CB-41	4.46
131	800	32-42	CB-42	2256.00
132	1000	32-43	CB-43	3361.93
133	20	32-47	CB-47	11.81
134	70	32-51	CB-51	69.90
135	95	32-52	CB-52	103.84
136	120	32-53	CB-53	124.21
137	150	32-54	CB-54	176.00
138	185	32-55	CB-55	237.81
139	240	32-56	CB-56	363.90
140	300	32-57	CB-57	501.01
141	400	32-58	CB-58	676.00
142	500	32-59	CB-59	972.00
143	550	32-60	CB-60	1056.00
144	630	32-61	CB-61	1334.00
145	185	32-31	CB-31	271.81
146	240	32-32	CB-32	415.20
147	400	32-34	CB-34	810.90
148	500	32-35	CB-35	1191.50

Jainson SOLDERING TYPE COPPER TUBULAR SOCKETS



(HEAVY DUTY)

ITEM NO.	AREA Amp.	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
59	15	5.1	219-6	BSS-6	9.50
60	30	7.1	219-7	BSS-7	17.01
61	60	10.3	219-8	BSS-8	33.03
62	100	11.9	219-9	BSS-9	56.74
63	150	13.5	219-10	BSS-10	102.50
64	200	13.5	219-11	BSS-11	174.61
65	300	16.7	219-12	BSS-12	242.50
66	400	16.7	219-13	BSS-13	383.81
67	500	19.8	219-14	BSS-14	615.01

AS PER TABLE 2~OF BS -91-1973

Sq. mm					
ITEM NO.	AREA	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
68	6	5.5	219-15	BSS-15	10.50
69	16	6.6	219-16	BSS-16	21.01
70	25	9.0	219-17	BSS-17	35.99
71	35	9.0	219-18	BSS-18	48.40
72	70	11	219-23	BSS-23	141.81
73	95	14	219-24	BSS-24	199.81
74	120	14	219-25	BSS-25	341.01
75	185	14	219-26	BSS-26	568.80
76	240	18	219-27	BSS-27	687.20
77	300	18	219-28	BSS-28	953.01
78	500	22	219-29	BSS-29	1395.81
79	625	26	219-30	BSS-30	1941.90

Jainson COPPER TUBULAR CRIMPING TERMINAL SOCKETS



(HEAVY DUTY)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
35	25	8.2	319-282	CUS-282	32.23
36	35	8.2	319-283	CUS-283	50.34
37	50	8.2	319-284	CUS-284	81.13
38	70	10.2	319-285	CUS-285	127.71
39	95	12.7	319-286	CUS-286	190.95
40	120	12.7	319-287	CUS-287	267.39
41	150	12.7	319-288	CUS-288	330.51
42	185	12.7	319-289	CUS-289	478.98
43	240	16.2	319-290	CUS-290	672.16
44	300	16.2	319-291	CUS-291	837.20
45	400	20.3	319-292	CUS-292	1223.78

CABLE TERMINAL ENDS

Jainson ALUMINIUM CRIMPING CONNECTORS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
445	2.5	119-145	ALS-145	1.35
446	2.5	119-6	ALS-6	1.35
447	4	119-5	ALS-5	1.35
448	6	119-13	ALS-13	1.35
449	10	119-146	ALS-146	1.50
450	10	119-14	ALS-14	1.70
451	16	119-4	ALS-4	2.30
452	25	119-3	ALS-3	3.15
453	35	119-2	ALS-2	4.05
454	50	119-12	ALS-12	5.95
455	70	119-1	ALS-1	10.10
456	95	119-15	ALS-15	11.20
457	120	119-9	ALS-9	15.20
458	150	119-10	ALS-10	20.60
459	185	119-11	ALS-11	26.45
460	225	119-147	ALS-147	40.10
461	240	119-16	ALS-16	44.40
462	300	119-17	ALS-17	63.45
463	400	119-18	ALS-18	91.20
464	500	119-19	ALS-19	132.70
465	625	119-20	ALS-20	177.55
466	800	119-148	ALS-148	223.60
467	1000	119-149	ALS-149	375.30

Jainson COPPER RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
490	1.5	3.7	170489	7048	2.06
491	1.5	4.2	170499	7049	2.06
492	1.5	2.6	170009	7000	2.46
493	1.5	3.2	170019	7001	2.36
494	1.5	3.7	170029	7002	2.36
495	1.5	4.2	170039	7003	2.06
496	1.5	4.2	171549	7154	2.36
497	1.5	4.2	170049	7004	2.13
498	1.5	5.2	170059	7005	2.13
499	1.5	5.2	170069	7006	2.65
500	1.5	6.4	170079	7007	2.56
501	1.5	6.4	171069	7106	2.99
502	2.5	3.2	171079	7107	2.48
503	2.5	3.7	170089	7008	2.36
504	2.5	3.7	171089	7108	2.48
505	2.5	4.2	170099	7009	2.13
506	2.5	5.2	170109	7010	2.13
507	2.5	5.2	171099	7109	2.46
508	2.5	6.4	170119	7011	2.21
509	2.5	5.2	171109	7110	3.60
510	2.5	6.4	170129	7012	3.50
511	2.5	8.2	170139	7013	3.60
512	2.5	8.2	170149	7014	4.33
513	2.5	10.2	171519	7151	5.20
514	4.6	4.2	171559	7155	4.05
515	4.6	5.2	170509	7050	4.05
516	4.6	5.2	171579	7157	10.00
517	4.6	5.2	170169	7016	4.76
518	4.6	6.4	170179	7017	4.30
519	4.6	8.2	170189	7018	4.76
520	4.6	6.4	170199	7019	5.53
521	4.6	6.4	171159	7115	6.40
522	4.6	8.2	170209	7020	6.30
523	4.6	8.2	171169	7116	7.81
524	4.6	10.2	170239	7023	7.44
525	4.6	12.7	170249	7024	7.09
526	10	5.2	170259	7025	5.76
527	10	4.2	171199	7119	6.16
528	10	5.2	170269	7026	5.30
529	10	6.4	171209	7120	5.70
530	10	8.2	171219	7121	7.60
531	10	10.2	171239	7123	10.70
532	10	12.7	170289	7028	10.56
533	16	5.2	171249	7124	9.03
534	16	6.4	170299	7029	9.96
535	16	8.2	170309	7030	10.93
536	16	10.2	171289	7128	14.08
537	16	12.7	170339	7033	13.93
538	25	6.4	171569	7156	20.59
539	25	8.2	170349	7034	21.84

Jainson COPPER RING TONGUE TERMINAL ENDS



ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
540	25	10.2	171319	7131	33.08
541	25	10.2	171329	7132	33.49
542	25	12.7	170379	7037	30.36
543	35	6.4	171339	7133	26.53
544	35	8.2	170389	7038	24.86
545	35	8.2	171349	7134	41.30
546	35	10.2	170399	7039	38.11
547	35	10.2	171359	7135	37.85
548	35	12.7	170409	7040	35.83
549	50	8.2	171369	7136	39.53
550	50	10.2	171379	7137	43.89
551	50	12.7	170429	7042	46.70
552	50	16.2	171399	7139	57.20
553	70	10.2	171409	7140	64.69
554	70	12.7	171419	7141	63.65
555	70	16.2	171429	7142	67.93
556	95	10.2	171449	7144	88.11
557	95	12.7	170449	7044	86.01
558	95	16.2	171459	7145	91.94
559	120	12.7	171469	7146	103.38
560	120	16.2	171479	7147	119.94
561	120	20.3	171489	7148	141.65
562	150	12.7	171499	7149	235.04
563	150	16.2	170459	7045	212.80
564	150	20.3	170469	7046	249.60

Jainson OPEN CLOSE TYPE SOLDERING CABLE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
468	1.5	153-371	OC-371	1.99
469	1.5	153-345	OC-345	1.60
470	2.5	153-372	OC-372	2.34
471	2.5	153-344	OC-344	2.11
472	4	153-373	OC-373	4.10
473	6	153-374	OC-374	5.13
474	10	153-375	OC-375	6.64
475	16	153-376	OC-376	11.41
476	25	153-377	OC-377	20.70
477	35	153-378	OC-378	26.80
478	50	153-379	OC-379	47.20
479	70	153-380	OC-380	73.50
480	95	153-381	OC-381	132.40
481	120	153-382	OC-382	169.93
482	150	153-383	OC-383	227.41
483	185	153-384	OC-384	340.00
484	225	153-385	OC-385	416.70
485	240	153-386	OC-386	504.50
486	300	153-387	OC-387	644.00
487	400	153-388	OC-388	941.01
488	500	153-389	OC-389	1105.01
489	625	153-390	OC-390	1311.68

Jainson COPPER RING TONGUE TERMINALS ENDS



(INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
565	1.5	2.6	170539	7053	4.34
566	1.5	3.2	170549	7054	3.36
567	1.5	3.7	170559	7055	3.36
568	1.5	4.2	170569	7056	3.14
569	1.5	3.7	170589	7058	3.14
570	1.5	4.2	170599	7059	3.14
571	1.5	4.2	170619	7061	3.38
572	1.5	5.2	170629	7062	3.38
573	1.5	4.2	170639	7063	3.44
574	1.5	5.2	170659	7065	3.76
575	1.5	6.4	170669	7066	3.61
576	1.5	6.4	170679	7067	3.96
577	2.5	3.2	170689	7068	3.39
578	2.5	3.7	170699	7069	3.39
579	2.5	3.7	170709	7070	3.71
580	2.5	4.2	170719	7071	3.36
581	2.5	5.2	170729	7072	3.36
582	2.5	5.2	170739	7073	3.84
583	2.5	6.4	170749	7074	3.66
584	2.5	5.2	170759	7075	4.88
585	2.5	6.4	170769	7076	4.80
586	0.75	4.2	175919(I)	5.25

CABLE TERMINAL ENDS

Jainson COPPER RING TONGUE FORK TERMINAL ENDS



("U" CUT)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
723	1.5	3.1	172359	7235	3.26
724	1.5	4.1	172369	7236	3.59
725	1.5	4.1	172379	7237	3.59
726	1.5	5.1	172389	7238	3.90
727	1.5	3.6	172409	7240	3.26
728	1.5	3.1	172419	7241	3.26
729	1.5	3.6	172449	7244	3.26
730	1.5	6.1	178619	7861	3.90
731	2.5	3.1	178629	7862	3.59
732	2.5	3.6	178639	7863	3.59
733	2.5	6.1	178649	7864	3.85
734	2.5	4.1	172399	7239	3.93
735	2.5	5.1	172429	7242	3.93
736	4-6	4.1	172439	7243	5.96
737	4-6	4.1	172459	7245	6.96
738	4-6	5.1	172469	7246	6.96
739	4-6	5.1	172479	7247	8.05
740	4-6	6.1	172489	7248	8.05
741	10	4.1	178659	7865	8.05
742	10	5.1	178669	7866	8.05
743	10	6.1	178679	7867	8.93
744	10	8.1	178689	7868	10.45
745	16	5.1	178699	7869	12.69
746	16	6.1	178709	7870	14.16
747	16	8.1	178719	7871	14.16
748	16	8.1	178729	7872	17.65

Jainson COPPER RING TONGUE FORK TERMINAL ENDS



("U" CUT INSULATED)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
749	1.5	3.1	178739	7873	4.25
750	1.5	3.6	178749	7874	4.25
751	1.5	3.1	178759	7875	4.19
752	1.5	3.6	178769	7876	4.35
753	1.5	4.1	178779	7877	4.79
754	1.5	4.1	178789	7878	4.79
755	1.5	5.1	178799	7879	5.16
756	1.5	6.1	178809	7880	5.16
757	2.5	3.1	178819	7881	4.98
758	2.5	3.6	178829	7882	4.91
759	2.5	4.1	178839	7883	5.20
760	2.5	5.1	178849	7884	5.28
761	2.5	6.1	178859	7885	5.28
762	4-6	4.1	178869	7886	7.96
763	4-6	4.1	178879	7887	9.65
764	4-6	5.1	178889	7888	9.65
765	4-6	5.1	178899	7889	10.46
766	4-6	6.1	178909	7890	10.46
767	10	4.1	178919	7891	11.41
768	10	5.1	178929	7892	11.41
769	10	6.1	178939	7893	12.30
770	10	8.1	178949	7894	13.94
771	16	5.1	178959	7895	16.36
772	16	6.1	178969	7896	17.13
773	16	8.1	178979	7897	17.13
774	16	8.1	178989	7898	25.49

Jainson COPPER RING TONGUE FORK TERMINAL ENDS



("U" CUT INSULATED WITH METAL REINFORCEMENT)

ITEM NO.	AREA mm ²	E Dia	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
775	1.5	3.1	178999	7899	5.68
776	1.5	3.6	179009	7900	5.68
777	1.5	3.1	179019	7901	5.68
778	1.5	3.6	179029	7902	5.68
779	1.5	4.1	179039	7903	6.40
780	1.5	4.1	179049	7904	6.40
781	1.5	5.1	179059	7905	6.40
782	1.5	6.1	179069	7906	6.93
783	2.5	3.1	179079	7907	6.93
784	2.5	3.6	179089	7908	6.93
785	2.5	4.1	179099	7909	7.04
786	2.5	5.1	179109	7910	7.04
787	2.5	6.1	179119	7911	7.04
788	4-6	4.1	179129	7912	10.40
789	4-6	4.1	179139	7913	11.84
790	4-6	5.1	179149	7914	11.84
791	4-6	5.1	179159	7915	12.90
792	4-6	6.1	179169	7916	12.90
793	10	4.1	179179	7917	15.09
794	10	5.1	179189	7918	15.09
795	10	6.1	179199	7919	15.81
796	10	8.1	179209	7920	17.90
797	16	5.1	179219	7921	21.60
798	16	6.1	179229	7922	37.81
799	16	8.1	179239	7923	38.80
800	16	8.1	179249	7924	40.64

Jainson COPPER RECTANGULAR TONGUE FORK TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
801	1.0	FT-SPL	2.51
802	1.5	180559	8055	3.20
803	1.5	172149	7214	4.69
804	1.5	172499	7249	1.60
805	1.5	172509	7250	2.76
806	2.5	172519	7251	1.79
807	2.5	172809	7280	5.36
808	4-6	172529	7252	3.60
809	4-6	172539	7253	3.53
810	10	172549	7254	10.33
811	10	172559	7255	10.10
812	16	101319	12.65

Jainson COPPER RECTANGULAR TONGUE FORK TERMINAL ENDS



(INSULATED)

ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
813	1.0	FT-SPL (I)	3.39
814	1.5	179259	7925	5.59
815	1.5	179269	7926	2.39
816	1.5	179279	7927	3.71
817	2.5	179289	7928	2.79
818	2.5	179299	7929	5.96
819	4-6	179309	7930	4.90
820	4-6	179319	7931	4.80
821	10	179329	7932	12.25
822	10	179339	7933	12.10

Jainson COPPER RECTANGULAR TONGUE FORK TERMINAL ENDS



(INSULATED WITH METAL REINFORCEMENT)

ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
823	1.0	FT-SPL (R)	4.00
824	1.5	179349	7934	6.80
825	1.5	179359	7935	3.31
826	1.5	179369	7936	4.45
827	2.5	179379	7937	3.55
828	2.5	179389	7938	6.61
829	4-6	179399	7939	6.21
830	4-6	179409	7940	6.16
831	10	179419	7941	16.40
832	10	179429	7942	16.30

Jainson COPPER FORK HOOK TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
833	0.75	172799	7279	4.90
834	1.5	172789	7278	4.13
835	1.5	172659	7265	4.13
836	1.5	172669	7266	4.69
837	1.5	172569	7256	4.69
838	1.5	172579	7257	5.01
839	1.5	172709	7270	5.81
840	1.5	172719	7271	5.81
841	2.5	172589	7258	5.81
842	2.5	172599	7259	5.01
843	2.5	172609	7260	6.80
844	2.5	172729	7272	6.80
845	2.5	172739	7273	5.04
846	4	172749	7274	11.13
847	4	172759	7275	11.13
848	4	172769	7276	11.13
849	4	172779	7277	11.13
850	4-6	172619	7261	9.10
851	4-6	172629	7262	9.10
852	4-6	172639	7263	9.10
853	4-6	172689	7268	7.76
854	4-6	172699	7269	7.54
855	6	172649	7264	9.10
856	6	172679	7267	9.93

Jainson COPPER FORK HOOK TERMINAL ENDS



(INSULATED)

ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
857	0.75	179439	7943	5.60
858	1.5	179449	7944	4.90
859	1.5	179459	7945	5.36
860	1.5	179469	7946	5.36
861	1.5	179479	7947	5.36
862	1.5	179489	7948	5.13
863	1.5	179499	7949	6.56
864	1.5	179509	7950	6.40
865	2.5	179519	7951	6.73
866	2.5	179529	7952	5.96
867	2.5	179539	7953	5.96
868	2.5	179549	7954	7.76
869	2.5	179559	7955	7.76
870	4	179569	7956	12.30
871	4-6	179609	7960	10.15
872	4-6	179639	7963	9.96
873	4-6	179649	7964	8.76

CABLE TERMINAL ENDS

Jainson FORK HOOK TERMINAL ENDS



(INSULATED WITH METAL REINFORCEMENT)

ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
874	0.75	179679	7967	7.30
875	1.5	179689	7968	6.76
876	1.5	179699	7969	6.76
877	1.5	179709	7970	7.25
878	1.5	179719	7971	7.25
879	1.5	179729	7972	7.25
880	1.5	179739	7973	8.33
881	1.5	179749	7974	8.33
882	2.5	179759	7975	8.80
883	2.5	179769	7976	8.13
884	2.5	179779	7977	8.13
885	2.5	179789	7978	9.93
886	2.5	179799	7979	9.93
887	4	179809	7980	15.96
888	4-6	179849	7984	13.09
889	4-6	179859	7985	13.09
890	4-6	179879	7987	11.20
891	6	179889	7988	11.20

Jainson PIN TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
892	1.0	316-0	2.04
893	1.5	316-9	CP-9	1.79
894	1.5	316-35	CP-35	2.24
895	1.5	316-38	CP-38	5.41
896	2.5	316-1	CP-1	1.79
897	2.5	316-2	CP-2	1.85
898	4	316-3	CP-3	3.81
899	4	316-4	CP-4	7.21
900	6	316-5	CP-5	4.15
901	6	316-6	CP-6	7.41
902	10	316-7	CP-7	7.25
903	16	316-8	CP-8	9.90
904	2.5	316-10	CP-10	3.20
905	2.5	316-11	CP-11	3.20
906	4	316-12	CP-12	5.96
907	4	316-13	CP-13	6.25
908	6	316-14	CP-14	6.73
909	6	316-15	CP-15	6.73
910	10	316-16	CP-16	9.81
911	25	316-125	31.81
912	35	316-135	41.90
913	50	316-150	47.01
914	70	316-170	74.00
915	95	316-195	103.90
916	0.75	316-54	2.48

Jainson PIN TYPE TERMINAL ENDS



(INSULATED)

ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
917	1.0	316-0 (I)	3.19
918	1.0	316-45 (I)	CP-45	7.03
919	1.5	316-17	CP-17	2.50
920	1.5	316-40	CP-40	3.39
921	1.5	316-38 (I)	6.35
922	1.5	316-42 (I)	CP-42	7.03
923	1.5	316-51 (I)	CP-51	4.59
924	2.5	316-18	CP-18	2.69
925	2.5	316-19	CP-19	2.85
926	4	316-20	CP-20	5.48
927	4	316-21	CP-21	11.59
928	6	316-22	CP-22	11.50
929	6	316-23	CP-23	11.55
930	10	316-24	CP-24	18.55
931	16	316-25	CP-25	24.79

Jainson PIN TYPE TERMINAL ENDS



(INSULATED WITH METAL REINFORCEMENT)

ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
932	1.0	316-0 (R)	4.21
933	1.5	316-26	CP-26	3.44
934	2.5	316-27	CP-27	3.65
935	2.5	316-28	CP-28	3.70
936	4	316-29	CP-29	6.50
937	4	316-30	CP-30	16.00
938	6	316-31	CP-31	16.00
939	6	316-32	CP-32	16.00
940	0.75	316-54	CP-54	3.49
941	2.5	316-52	CP-52	9.50
942	10	316-33	22.00
943	16	316-34	30.70
943A	1.5	316-35(R)	4.61

Jainson PIN TYPE, FORK TYPE RING TONGUE



ITEM NO.	AREA mm ²	TYPE	Jainson CAT. No.	PRICE EACH
944	0.75	PIN TYPE	JSP-01	2.08
945	0.75	FORK TYPE	JSF-02	1.96
946	0.75	RING TONGUE	JSR-03	2.01
947	0.75	PIN TYPE-J-14	JSP-04	2.24
948	1	PIN TYPE-J-14	JSP-05	2.40
949	1.5	PIN TYPE-J-14	JSP-06	2.61
950	1	RT 53 E3.5	JSR-07	2.50
951	1	RT 53 E4	JSR-08	2.50
952	1	RT 03 E3	JSR-09	2.56
953	1	RT 03 E4	JSR-10	2.40
954	1	RT 04 E4	JSR-11	2.64
955	1	RT 04 E5	JSR-12	2.56
956	1	RT 05 E5	JSR-13	2.80
957	1	RT 05 E6	JSR-14	2.80
958	1	RT 06 E6	JSR-15	3.01

Jainson PIN TYPE, FORK TYPE RING TONGUE



(INSULATED)

ITEM NO.	AREA mm ²	TYPE	Jainson CAT. No.	PRICE EACH
959	0.75	PIN TYPE	JSP-01 (I)	3.41
960	0.75	FORK TYPE	JSF-02 (I)	3.30
961	0.75	RING TONGUE	JSR-03 (I)	3.30
962	0.75	PIN TYPE-J-14	JSP-04 (I)	3.41
963	1	PIN TYPE-J-14	JSP-05 (I)	3.81
964	1.5	PIN TYPE-J-14	JSP-06 (I)	3.90
965	1	RT 53 E3.5	JSR-07 (I)	3.81
966	1	RT 53 E4	JSR-08 (I)	3.81
967	1	RT 03 E3	JSR-09 (I)	3.81
968	1	RT 03 E4	JSR-10 (I)	3.50
969	1	RT 04 E4	JSR-11 (I)	3.90
970	1	RT 04 E5	JSR-12 (I)	3.81
971	1	RT 05 E5	JSR-13 (I)	4.21
972	1	RT 05 E6	JSR-14 (I)	4.16
973	1	RT 06 E6	JSR-15 (I)	4.50

Jainson PIN TYPE, FORK TYPE RING TONGUE



(INSULATED WITH METAL REINFORCEMENT)

ITEM NO.	AREA mm ²	TYPE	Jainson CAT. No.	PRICE EACH
974	0.75	PIN TYPE	JSP-01 (R)	3.81
975	0.75	FORK TYPE	JSF-02 (R)	3.70
976	0.75	RING TONGUE	JSR-03 (R)	3.81
977	0.75	PIN TYPE-J-14	JSP-04 (R)	4.40
978	1	PIN TYPE-J-14	JSP-05 (R)	4.61
979	1.5	PIN TYPE-J-14	JSP-06 (R)	4.80
980	1	RT 53 E3.5	JSR-07 (R)	4.80
981	1	RT 53 E4	JSR-08 (R)	4.80
982	1	RT 03 E3	JSR-09 (R)	4.90
983	1	RT 03 E4	JSR-10 (R)	4.80
984	1	RT 04 E4	JSR-11 (R)	4.90
985	1	RT 04 E5	JSR-12 (R)	4.85
986	1	RT 05 E5	JSR-13 (R)	5.20
987	1	RT 05 E6	JSR-14 (R)	5.16
988	1	RT 06 E6	JSR-15 (R)	5.50

Jainson COPPER REDUCER TYPE TERMINAL ENDS



ITEM NO.	AREA mm ²	Jainson CAT. No.	DOWELL'S CAT. No.	PRICE EACH
989	1.5	JP-36	MP-36	19.96
990	2.5	JP-37	MP-37	18.63
991	4	JP-38	MP-38	18.63
992	6	JP-39	MP-39	19.76
993	10	JP-40	MP-40	28.08
994	10	JP-41	MP-41	38.69
995	16	JP-42	MP-42	48.68
996	25	JP-43	MP-43	54.63
997	35	JP-44	MP-44	61.88
998	50	JP-45	MP-45	87.48
999	70	JP-46	MP-46	118.35